				<u> </u>	<u> </u>	
QUERY CONTR	OL FORM	RTIS USE ONLY				
Application No.	09 9 13 548	Prepared by	Lois Stone	Tracking Number	5872971	
Examiner-GAU	Bhat - 1761	Date	416/05	Week Date	12/8/03	
,		No. of queries	1	IFW	• •	

JACKET				
a. Serial No.	f. Foreign Priority	k. Print Claim(s)	p. PTO-1449	
b. Applicant(s)	g. Disclaimer	I. Print Fig.	q. PTOL-85b	
c. Continuing Data	h. Microfiche Appendix	m. Searched Column	r. Abstract	
d. PCT	i. Title	n. PTO-270/328	s. Sheets/Figs	
e. Domestic Priority	j. Claims Allowed	o. PTO-892	t. Other	

SPECIFICATION	MESSAGE
a. Page Missing	Claim + (original claim 12) depends on
b. Text Continuity	one of claims 1 to 11 (claim 11 is
c. Holes through Data	sanceled and other slatims are numbered
d. Other Missing Text	above claim 4). Please advise
e. Illegible Text	
f. Duplicate Text	
g. Brief Description	
h. Sequence Listing	
i. Appendix	
j. Amendments	
k. Other	
CLAIMS	
a. Claim(s) Missing	
b. Improper Dependency	Thank you,
c. Duplicate Numbers	
d. Incorrect Numbering	initials دهم
e. Index Disagrees	RESPONSE
f. Punctuation	No it doesn't It depends
g. Amendments	from claim I which is NOT
h. Bracketing	Euroeled.
i. Missing Text	this same guery was already
j. Duplicate Text	answered by Examiner more
k. Other	than a month ago!
	initials J/3#

- A process for producing a concentrate of denatured whey protein aggregates, the process essentially consisting of the steps that
- a) an aqueous whey protein solution having a whey protein content of at most 3% by weight is heat-denatured by hotholding at a temperature in the range from 75 to 150°C, at a pH in the range from 5.0 to 7.0 under essentially non-shearing conditions in such a manner that $\geq 90\%$ of the whey protein are heat-denatured to form whey protein aggregates having a mean aggregate size (median) in the range from 1 to 4 µm, and that
- b) a concentration step is then carried out.
- (Amended) 2. The process as claimed in claim 1, wherein the aqueous solution containing whey proteins is selected from a milk microfiltration permeate and a whey.
- (Amended) 3. The process as claimed in claim 1, wherein, when the hot-holding under essentially non-shearing conditions is carried out, a value for the shearing rate of 2000 s-1, preferably 1000 s-1, is not exceeded.
- (Amended) 4. The process as claimed in claim 1, wherein the aqueous solution is a non-enriched whey.